

Safety Data Sheet

According to Regulation (EC) No 1907/2006

TASKI Tapi Stain Remover 2

Revision: 2022-05-08 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Tapi Stain Remover 2

UFI: YTFH-G13E-800P-KN4S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Carpet / Upholstery cleaner. For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Hazard statements:

EUH210 - Safety data sheet available on request.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	287-809-4	85586-07-8	01-2119489463-28	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		1-3

Specific concentration limits

sulphuric acid, mono-C12-14-alkyl esters, sodium salts:

• Eye Dam. 1 (H318) >= 20% > Eye Irrit. 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless adviced by Diversey. Do not breathe spray.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

DIVEL/DIVILE Grait exposure - Consumer (mg/kg bw)				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
	0.100.0	000.0	0.1.00.0	0.10010
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	24

DNEL/DMEL dormal exposure - Worker

DNEL/DNEL definal exposure - worker					
	Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available	-	No data available	4060

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available	-	No data available	2440

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	285

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

	DIVEL Initialatory exposure Consumer (mg/m/)				
Ingredient(s)		Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
		effects	effects	effects	effects
	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	85

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	0.131	0.013	0.036	1.35

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	4.61	0.461	0.846	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Provide a good standard of general ventilation. Appropriate engineering controls: Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Trigger spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:

Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 166). No special requirements under normal use conditions. No special requirements under normal use conditions.

Body protection:No special requirements under normal use conditions. **Respiratory protection:**Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Hand protection:

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	> 100	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 8 (neat) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available		

Relative density: ≈ 1.00 (20 °C)

Method / remark

OECD 109 (EU A.3)

Relative vapour density: No data available.

Not relevant to classification of this product

Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corresion to metals: Not corresive.

Corrosion to metals: Not corrosive Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable Method: Weight of evidence Eye irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable. Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 1800	Rat	Method not given		120000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 2000	Rabbit	Method not given		170000

Acute inhalative toxicity

Acute initialative toxicity					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			
		available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Okin intation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Lyc intation and consistiv							
Ingredient(s)	Result	Species	Method	Exposure time			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)				

Respiratory tract irritation and corrosivity

	Ingredient(s)	Result	Species	Method	Exposure time
ſ	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	

Sensitisation by inhalation

	Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid,	mono-C12-14-alkyl esters, sodium salts	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

١	Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
			(in-vitro)		(in-vivo)
	sulphuric acid, mono-C12-14-alkyl esters,	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	sodium salts	test results	B.12/13) OECD	test results	B.12)
			476 (Mouse		•
			lymphoma)		

Carcinogenicity

Ingredient(s)		Effect		
	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No evidence for carcinogenicity, negative test results		

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sulphuric acid, mono-C12-14-alkvl	NOEL	Teratogenic effects Developmental toxicity	250	Rat	OECD 414 (EU B.31),		
esters, sodium salts					oral		

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Sub-acute of Sub-chronic oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOAEL	488		OECD 408 (EU	90	
				B.26)		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Chronic toxicity

Critoric toxicity	monic toxicity											
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark				
	route		(mg/kg bw/d)			time	organs affected					
sulphuric acid,			No data									
mono-C12-14-alkyl			available									
esters, sodium salts								<u>'</u>				

STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LC 50	3.6	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

riquality criticity cruciated					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 50	4.7	Daphnia	84/449/EEC, C2	48

Aquatic short-term toxicity - algae

riquatic short term toxicity algae					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Er C 50	> 20	Not specified	88/302/EEC, Part C,	72
				static	1

Aquatic short-term toxicity - marine species

Aquatic Short-term toxicity - manne species					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (days)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 10	1084	Bacteria	DIN 38412 / Part 8	16 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	1.357	Pimephales promelas	OECD 210	34 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	0.508	Daphnia sp.	Method not	7 day(s)	
				given		

Aquatic toxicity to other aquatic bentriic organisms, including sediment-dwelling organisms, if available.									
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed			
		(mg/kg dw			time (days)				
		sediment)							
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				·			
		available							

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation
		method			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Activated sludge,	Oxygen depletion	> 90% in 28 day(s)	OECD 301D	Readily biodegradable
	aerobe				

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sulphuric acid, mono-C12-14-alkyl	< -2.42	Method not given	No bioaccumulation expected	
esters, sodium salts				

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sulphuric acid,	No data available				
mono-C12-14-alkyl					
esters, sodium salts					

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

	Adsorption/Desorption to soil or sealment									
ı	Ingredient(s)	Adsorption	Desorption	Method	Soil/sediment	Evaluation				
- 1	iligiculciii(3)			Mictiliou		Lvaidation				
- 1		coefficient	coefficient		type					
- 1		Log Koc	Log Koc(des)							
- 1	1.1	NI Li III								
	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	ino data available								

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

- 14.1 UN number: Non-dangerous goods
- 14.2 UN proper shipping name: Non-dangerous goods
- 14.3 Transport hazard class(es): Non-dangerous goods
- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- · International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

anionic surfactants

perfumes, Hexyl Cinnamal

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005470 Version: 01.0 Revision: 2022-05-08

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed.H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · LCS Life cycle stage
- · LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level

- OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet