

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Comfort Professional Blue Skies

Revision: 2020-01-26

Version: 15.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Comfort Professional Blue Skies Comfort is a registered trade mark and is used under licence of Unilever

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

AISE-P105 - Conditioner (softener/starch). Semi-automatic process AISE-P106 - Conditioner (softener/starch). Manual process AISE-C3 - Fabric conditioners (liquid regular, liquid concentrate) for consumer use Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Hygiene Sales Limited Jamestown Road, Finglas, Dublin 11, Ireland Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) National Poisons Information Centre Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Contains 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (DMDM Hydantoin)

Hazard statements:

EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	295-344-3	91995-81-2	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		1-3
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measure	
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions: No special precautions required.

. . .

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash hands thoroughly after handling. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
propan-2-ol	200 ppm	400 ppm

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	26
DNEL dermal exposure - Worker				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	No data available	-	No data available	888
DNEL dermal exposure - Consumer				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	No data available	-	-	319
DNEL inhalatory exposure - Worker (mg/m³)				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	500
DNEL inhalatory exposure - Consumer (mg/m³)				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	89
Environmental exposure Environmental exposure - PNEC				
Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	140.9	140.9	140.9	2251
Environmental exposure - PNEC, continued				
Ingredient(s)	Sediment, freshwater	Sediment, marine	Soil (mg/kg)	Air (mg/m ³)

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:	No special requirements under normal use conditions.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment	
Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions. **Environmental exposure controls:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid Colour: Opaque, Blue Odour: Slightly perfumed Odour threshold: Not applicable pH ≈ 3 (neat) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°C)		(hPa)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me	No data available		
sulfate-quaternized			
propan-2-ol	82	Method not given	1013

Flammability (liquid): Not flammable. Flash point (°C): not determined Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Evaporation rate: Not determined Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined

Not relevant to classification of this product

Not relevant to classification of this product

See substance data

Method / remark

Method / remark

OECD 109 (EU A.3)

See substance data

Method / remark

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
propan-2-ol	2	13

Vapour pressure: Not determined

Substance data	, vapour pressure	

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me	No data available		
sulfate-quaternized			
propan-2-ol	4200	Method not given	20

Vapour density: Not determined Relative density: ≈ 1.00 (20 °C) Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature
	(g/l)		(°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me	No data available		
sulfate-quaternized			
propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable. Viscosity: ≈ 25 mPa.s (20 °C) Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

Method / remark

DM-006 Viscosity - Standard

OECD 115 Weight of evidence

Method / remark

ISO 4316 Not relevant to classification of this product See substance data

fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me No data available sulfate-quaternized No data available	Ingredient(s)	Value (g/l)	Method	Temperature (°C)
propan-2-ol Soluble Method pot given		No data available		
proparizzion Soluble Method not given	propan-2-ol	Soluble	Method not given	

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with alkali.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data is available on the mixture.

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Acute oral toxicity										
Ingredient(s)	Endpoint	Va (mg	lue /kg)	Spee	cies	Method		Exposure time (h)		
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			000	000 Ra		at Method not g				
propan-2-ol	LD 50	35	70	R	at	Method not g	jiven			
Acute dermal toxicity										
Ingredient(s)	Endpoint	Va (mg	lue /kg)	Spee	cies	es Method		Exposure time (h)		
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			data lable							
propan-2-ol	LD 50	> 2	000	Ral	obit	Method not g	jiven			
Acute inhalative toxicity										
Ingredient(s)	Endpoint Value Species (mg/l)		cies Method			Exposure time (h)				
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available									
propan-2-ol	LC 50 > 25 (Vi		/apour)	r) Rat		OECD 403 (EI	U B.2)	6		
Irritation and corrosivity Skin irritation and corrosivity										
Ingredient(s)	Result		Result		Spec	Species		Method	Expo	sure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data av	ailable								
propan-2-ol	Not irrit	ant Rabbi		bit	OECE	0 404 (EU B.4)				
Eye irritation and corrosivity										
Ingredient(s)	Resu	lt	Spec	ies	Method		Expo	sure time		
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data av	ailable								
propan-2-ol	Irritar	ritant R		bit	OECE	0 405 (EU B.5)				
Respiratory tract irritation and corrosivity										
Ingredient(s)	Resu	lt	Spec	ies		Method	Expo	sure time		
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data av	ailable								
propan-2-ol	No data av	ailable								

Sensitisation

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
· ·	-		Buehler test	

Comfort Professional Blue Skies

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		No data available	
	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available
di-Me sulfate-quaternized	
propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction							
Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			No data available				
propan-2-ol			No data available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data				
		available				

Sub-chronic dermal toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
fatty acids, C10-20 and			No data					
C16-18-unsatd.,			available					
reaction products with								
triethanolamine, di-Me								
sulfate-quaternized								
propan-2-ol			No data					
			available					

STOT-single exposure						
Ingredient(s)	Affected organ(s)					
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available					
di-Me sulfate-quaternized						
propan-2-ol	Central nervous system					
STOT-repeated exposure						
Ingredient(s)	Affected organ(s)					

ingrouion(0)	Anotica organico
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available
di-Me sulfate-quaternized	
propan-2-ol	Central nervous system

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			
di-Me sulfate-quaternized propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			
propan-2-ol	EC 50	> 100	Scenedesmus	Method not given	72
			quadricauda		

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (days)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			
propan-2-ol		No data			-
		available			

Impact on sewage plants - toxicity to bacteria Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity Aquatic long-term toxicity - fish

					_	
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data				
		available				

Aquatic long-term toxicity - crustacea						
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		sediment)				
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data			-	
		available				

Terrestrial toxicity

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data			-	
		available				
errestrial toxicity - plants, if available:						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed

-

Comfort Professional Blue Skies

		(mg/kg dw soil)			time (days)	
propan-2-ol		No data available			-	
Ferrestrial toxicity - birds, if available:						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
errestrial toxicity - beneficial insects, if available:						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
errestrial toxicity - soil bacteria, if available:						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
	1	Nie dete		1		

No data

available

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

propan-2-ol

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized					No data available
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-oct	anol/water (log K	low)			
Ingredient	(s)	Value	Method	Evaluation	Remark
fatty acids, C10-20 and 0 reaction products with to di-Me sulfate-qua	iethanolamine,	No data available			
propan-2-	l	0.05	OECD 107	No bioaccumulation expected	
Bioconcentration factor (BCF)			-	•
	,				
Ingredient(s)	Value	Species	Method	Evaluation	Remark
Ingredient(s) fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	Value		Method	Evaluation	Remark

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment					
Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available				
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.5 Other adverse effects

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

ed packaging

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

Regulation (EC) No. 1907/2006 - REACH
 Regulation (EC) No 1272/2008 - CLP

Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: CCP4-P044-400R-KC10

Ingredients according to EC Detergents Regulation 648/2004

cationic surfactants perfumes, DMDM Hydantoin, Potassium Sorbate, Butylphenyl Methylpropional, Geraniol, Hexyl Cinnamal, Amyl Cinnamal, Benzyl Salicylate

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3897

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals. · H302 - Harmful if swallowed.
- · H314 Causes severe skin burns and eye damage.
- · H315 Causes skin irritation.
- · H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- · H320 Causes eye irritation.
- · H335 May cause respiratory irritation.
- · H336 May cause drowsiness or dizziness. · H361 - Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- · H411 Toxic to aquatic life with long lasting effects. H412 - Harmful to aquatic life with long lasting effects.

Version: 15.0

Revision: 2020-01-26

< 5 %

- Abbreviations and acronyms: AISE The international Association for Soaps, Detergents and Maintenance Products DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement

- EUH CLP Specific hazard statement
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
 ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
 EC50 Giffactive accounted in p.50% / Median Lethal Concentration

- EC50 effective concentration, 50%

- NOEL No observed effect level
 NOAEL No observed adverse effect level
 OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet