# anachem 八

# STRIP FREE POLYMER STRIPPER

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 04/11/2020 Revision date: 24/01/2024 Supersedes version of: 17/11/2023 Version: 6.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Trade name : STRIP FREE POLYMER STRIPPER

UFI : SQPP-K1YK-6007-HM4R

Product code : AP264
Type of product : Detergent
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Washing and cleaning products (including solvent based products)

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

ANACHEM LIMITED 55 SCHOOL ROAD BALLYMARTIN KILKEEL, CO DOWN BT34 4UP

TEL: 02843767111

EMAIL: INFO@ANACHEMNI.COM

## 1.4. Emergency telephone number

Emergency number : 02843767111

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1

H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects Causes serious eye damage.

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Amines; reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-Contains

glucopyranoside; ALCOHOLS C12 - 14 (7 - 7.5 EO)

Hazard statements (CLP) H318 - Causes serious eye damage.

Precautionary statements (CLP) P280 - Wear protective gloves, eye protection, face protection, eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	10 – 30	Eye Irrit. 2, H319
ethanol; ethyl alcohol substance with a Community workplace exposure limit	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-	5 – 10	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:vapour), H332 (ATE=20 mg/l/4h) Eye Irrit. 2, H319

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-phenoxyethanol	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943- 21	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=1840 mg/kg bodyweight) Eye Irrit. 2, H319
reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside	EC-No.: 414-420-0 EC Index-No.: 614-028-00-1 REACH-no: 01-0000016147- 72	3 – 5	Eye Dam. 1, H318
non-ionic surfactants	CAS-No.: 68439-50-9	< 5	Flam. Liq. Not classified Eye Dam. 1, H318 Aquatic Chronic 3, H412
2,2'-iminodiethanol; diethanolamine	CAS-No.: 111-42-2 EC-No.: 203-868-0 EC Index-No.: 603-071-00-1 REACH-no: 01-2119488930- 28	≥ 3	Acute Tox. 4 (Oral), H302 (ATE=1600 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : The product is not flammable. Use extinguishing agent suitable for surrounding fire. Water

spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature :  $5-30~^{\circ}\text{C}$ 

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
WEL TWA (OEL TWA)	67.5 mg/m³	
	10 ppm	
WEL STEL (OEL STEL)	101.2 mg/m³	
	15 ppm	
ethanol; ethyl alcohol (64-17-5)		
United Kingdom - Occupational Exposure Limits		
Local name	Ethanol	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5)	
WEL TWA (OEL TWA) 1920 mg/m³	
	1000 ppm

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







# 8.2.2.1. Eye and face protection

# Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Freezing point : Not available
Boiling point : Not available
Flammability : Not applicable

Explosive properties : Product is not explosive.

Oxidising properties : Oxidising solids Not applicable.

Explosive limits Not available Lower explosion limit Not available Upper explosion limit Not available Flash point : > 65 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : 10 - 11.5 рΗ Viscosity, kinematic : Not available

Solubility : Miscible with water. Soluble in water.

#### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

Germ cell mutagenicity

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol; diethylene g	lycol monobutyl ether (112-34-5)
LD50 oral	5660 mg/kg bodyweight
LD50 dermal	2764 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l/4h
2,2'-iminodiethanol; diethanolamine (11	1-42-2)
LD50 oral rat	1600 mg/kg
LD50 dermal rabbit	12970 (>) mg/kg
2-phenoxyethanol (122-99-6)	
LD50 oral rat	1840 mg/kg
LD50 oral	1850 mg/kg bodyweight
LD50 dermal rabbit	2214 mg/kg
LD50 dermal	14391 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l/4h
ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rat	15800 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 Inhalation - Rat	20 mg/l
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l/4h
reaction mass of: 2-ethylhexyl mono-D-	glucopyranoside; 2-ethylhexyl di-D-glucopyranoside
LD50 oral	> 2000 mg/kg bodyweight Animal: other:, Guideline: other:
LD50 dermal	> 5000 mg/kg bodyweight
non-ionic surfactants (68439-50-9)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	: Not classified pH: 10 – 11.5
2-phenoxyethanol (122-99-6)	
рН	7
non-ionic surfactants (68439-50-9)	
рН	6 – 8
Serious eye damage/irritation	: Causes serious eye damage. pH: 10 – 11.5
2-phenoxyethanol (122-99-6)	
рН	7
non-ionic surfactants (68439-50-9)	
рН	6 – 8
Respiratory or skin sensitisation	: Not classified

: Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified

NOAEL (chronic, oral, animal/male, 2 years)

64 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451

(Carcinogenicity Studies)

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

2,2'-iminodiethanol; diethanolamine (111-42-2)			
LOAEL (dermal, rat/rabbit, 90 days)	32 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)		
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.003 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)		
STOT-repeated exposure	May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).		
2-phenoxyethanol (122-99-6)			
NOAEL (oral, rat, 90 days)	700 mg/kg bodyweight/day		
reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside			
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)		

Aspiration hazard : Not classified

reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside	
Viscosity, kinematic	Not applicable

## 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute

: Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(Chronic)		
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
LC50 - Fish [1]	1300 mg/l	
EC50 - Other aquatic organisms [1]	> 1000 mg/l EC50 waterflea (48 h)	
EC50 - Other aquatic organisms [2]	> 100 mg/l IC50 algea (72 h) mg/l	
2,2'-iminodiethanol; diethanolamine (111-42-2)		
LC50 - Fish [1]	460 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	30.1 mg/l Test organisms (species): Ceriodaphnia dubia	
FC50 - Crustacea [2]	89 9 mg/l Test organisms (species): Ceriodaphnia dubia	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,2'-iminodiethanol; diethanolamine (111-42-2)			
EC50 - Other aquatic organisms [1]	55 mg/l EC50 waterflea (48 h)		
EC50 - Other aquatic organisms [2]	75 mg/l IC50 algea (72 h) mg/l		
ErC50 other aquatic plants	2.2 mg/l		
LOEC (chronic)	1.56 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0.78 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
2-phenoxyethanol (122-99-6)			
LC50 - Fish [1]	154 mg/l		
EC50 - Crustacea [1]	> 500 mg/l		
EC50 - Other aquatic organisms [1]	> 500 mg/l EC50 waterflea (48 h)		
EC50 - Other aquatic organisms [2]	443 mg/l IC50 algea (72 h) mg/l		
ErC50 other aquatic plants	> 500 mg/l		
ethanol; ethyl alcohol (64-17-5)			
LC50 - Fish [1]	14200 mg/l		
EC50 - Crustacea [1]	12.34 mg/l		
EC50 - Other aquatic organisms [1]	5012 mg/l EC50 waterflea (48 h)		
EC50 - Other aquatic organisms [2]	275 mg/l IC50 algea (72 h) mg/l		
ErC50 other aquatic plants	> 100 mg/l		
reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside			
LC50 - Fish [1]	> 310 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Other aquatic organisms [1]	> 100 mg/l Test organisms (species): other aquatic crustacea:		
EC50 - Other aquatic organisms [2]	> 100 mg/l IC50 algea (72 h) mg/l		
EC50 72h - Algae [1]	> 98 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)		

# 12.2. Persistence and degradability

STRIP FREE POLYMER STRIPPER		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	

# 12.3. Bioaccumulative potential

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Partition coefficient n-octanol/water (Log Pow)	0.3 – 4.69	
2,2'-iminodiethanol; diethanolamine (111-42-2)		
Partition coefficient n-octanol/water (Log Pow)	-1.71	

# 12.4. Mobility in soil

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.5. Results of PBT and vPvB assessment

STRIP FREE POLYMER STRIPPER		
Results of PBT assessment	The product does not meet the PBT and vPvB classification criteria	

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

## 14.4. Packing group

Packing group (ADR): Not applicablePacking group (IMDG): Not applicablePacking group (IATA): Not applicablePacking group (ADN): Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

## Inland waterway transport

Not applicable

#### Rail transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

**Detergent Regulation (648/2004)** 

Labelling of contents	
Component	%
non-ionic surfactants ≥5-<15%	

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# SECTION 16: Other information

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
EC50	Median effective concentration		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
PBT	Persistent Bioaccumulative Toxic		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Full text of H- and EUH-statements:			
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. Not classified	Flammable liquids Not classified		
H225	Highly flammable liquid and vapour.		
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H373	May cause damage to organs through prolonged or repeated exposure.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Dam. 1	H318	Calculation method

SDS EU (REACHANNEX II) GREEN 2