



Fragrance Delivery Technologies Ltd.

P.O. Box 262800, Dubai, United Arab Emirates Ph: +971 4 887 0577 Fax: +971 4 887 0578 www.oxygenpowered.com

SAFETY DATA SHEET

Issuing Date 16-Aug-2013 Revision Date 26-Aug-2018 Revision Number 2

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Oxygen-Pro Regular Cartridge Tang

Other means of identification

UN-Number UN1169

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Air freshener

Uses advised against No information available

Supplier's details

Supplier Address

Fragrance Delivery Technologies LTD.
LIU 15, RA07AC06 JAFZA
P.O.Box 262800
Dubai United Arab Emirates

Dubai, United Arab Emirates TEL: +9714 887 0577

Email: info@oxygenpowered.com

Emergency telephone number

Chemical Emergency Phone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887

Number outside US

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will not contain the OSHA label elements shown below.

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Flammable liquids	Category 3

Label Elements

Warning



Hazard Statements

Causes skin irritation
Causes serious eye irritation May
cause an allergic skin reaction
Flammable liquid and vapor.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- · Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

• None

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Skin

- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

• Store in a well-ventilated place. Keep cool.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Other information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

97% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The individual chemical identities of the ingredients of this mixture are considered to be proprietary information and trade secrets in accordance with paragraph (i) of §1910.1200. As such they are withheld in accordance with the provisions of the law. Certain hazardous substances are listed in the Exposure Controls/Personal Protection section.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation persists.

Skin Contact Wash skin with soap and water. If skin irritation or rash occurs: Get medical

advice/attention.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Protection of First-aiders

Remove all sources of ignition. Use personal protective equipment. Avoid contact with skin,

eyes and clothing.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Itching, Rashes, Irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use: Water spray. Carbon dioxide (CO 2). Foam.

<u>Unsuitable Extinguishing Media</u> Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the

Chemical

Flammable. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may form explosive mixtures with

air. Vapors may travel to source of ignition and flash back.

Explosion Data

Sensitivity to Mechanical Impact

Discharge Yes.

None. Sensitivity to Static

Protective Equipment and

Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency

procedures

Remove all sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Personal Precautions

Environmental Precautions

Methods for Cleaning Up

Environmental Precautions Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Dispose of contents/container to an approved waste disposal plant.

Collect spillage. See Section 12 for additional Ecological Information.

Methods and materials for Containment and clean up

Methods for Containment Dike far ahead of liquid spill for later disposal.

Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Use clean non-sparking tools to collect absorbed

material. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly

closed in a dry and well-ventilated place.

Incompatible Products Strong oxidizing agents, Strong acids, Strong bases,

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Citral 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection
Skin and Body Protection
Respiratory Protection

Tightly fitting safety goggles. Wear protective gloves/clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Property

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance

Values

Clear, Cloudy White, Pale red to

red.

Remarks/ - Method

Odor Characteristic. Odor Threshold No information available.

Property	values	Remarks/ - Method
рН	No data available	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	54 °C / 129.2 °F	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air upper flammability limit		
	No data available No data available	
lower flammability limit	197 Pa @ 20 °C	
Vapor Pressure		None known
Vapor Density	No data available	None known
Relative Density	.?	None known
Specific Gravity	No data available	None known
Water Solubility	Insoluble in water.	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wate Autoignition Temperature	r No data available No data available	None known None known

WPS-FDT-003NA - Oxygen-Pro Regular Cartridge Tang

Revision Date 26-Aug-2018

Decomposition TemperatureNo data available
None known

Viscosity No data available None known

Flammable Properties

Not flammable

Explosive PropertiesNo data availableOxidizing PropertiesNo data available

Other information

VOC Content (%)

No data available

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Heat, flames and sparks.

Incompatible materials Strong oxidizing agents, Strong acids, Strong bases,

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product InformationThere is no data available for this productInhalationThere is no data available for this product.

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation May cause sensitization by skin contact.

Ingestion There is no data available for this product.

Numerical measures of toxicity - Product

Unknown acute toxicity 97% of the mixture consists of ingredient(s) of unknown toxicity. *The following values are calculated based on chapter 3.1 of the GHS document:*

LD50 Oral 10386 mg/kg; Acute toxicity estimate LD50 Dermal

5888 mg/kg; Acute toxicity estimate

Component Information

WPS-FDT-003NA - Oxygen-Pro Regular Cartridge Tang

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Decanal	= 3730 μL/kg (Rat)	= 5040 μL/kg (Rabbit)	-
Octanal	= 4616 mg/kg (Rat)	= 5207 mg/kg (Rabbit)	> 4.7 mg/L (Rat) 4 h
Citral	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	-
D-Limonene	5000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	-
n-Hexyl acetate	= 41500 μL/kg (Rat)	> 5 g/kg (Rabbit)	-
Lauryl aldehyde	= 23 g/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Allergic skin reactions or irritation. Eye irritation/reactions.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization May cause sensitization by skin contact.

Germ Cell Mutagenicity No information available.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
D-Limonene		Group 3	-	-

IARC: (International Agency for Research on Cancer) Group 3

- Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Decanal 112-31-2			EC50 = 2.90 mg/L 25 min EC50 = 3.59 mg/L 15 min	
Citral 5392-40-5	EC50 72 h: = 16 mg/L (Desmodesmus subspicatus) EC50 96 h: = 19 mg/L (Desmodesmus subspicatus)		EC50 = 4.71 mg/L 5 min EC50 = 2100 mg/L 30 min	EC50 48 h: = 7 mg/L (Daphnia magna)
D-Limonene 5989- 27-5		LC50 96 h: 0.619 - 0.796 mg/L flow-through (Pimephales promelas) LC50 96 h: = 35 mg/L (Oncorhynchus mykiss)		
n-Hexyl acetate 142- 92-7		LC50 96 h: 3.7 - 4.4 mg/L flow-through (Pimephales promelas)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

No information available.

Other Adverse Effects

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR)

261).

Contaminated Packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

Note: This shipping size falls into limited quantity exemptions that do not require labeling or

placarding except if transported by aircraft. Under U.S. DOT transportation regulations, this product can be re-classed as a Limited Quantity in accordance with 49 CFR 173.306(i). Under Transport Canada regulations, this product can be re-classed as a Limited Quantity in accordance with Section 1.17. Under IMDG regulations (Amdt 35-10), this product can be re-classed as a Limited Quantity in accordance with Chapter 3.4.

UN-Number UN1169

Proper shipping name Extracts, aromatic, liquid

Hazard Class 3
Packing Group III

Description UN1169, Extracts, aromatic, liquid, 3, III

<u>TDG</u>

UN-Number UN1169

Proper Shipping Name Extracts, aromatic, liquid

Hazard Class 3
Packing Group III

Description UN1169, Extracts, aromatic, liquid, 3, III, Marine Pollutant

<u>MEX</u>

UN-Number UN1169

Proper Shipping Name Extracts, aromatic, liquid

Hazard Class 3
Packing Group III

Description UN1169, Extracts, aromatic, liquid, 3, III, Marine Pollutant

IATA

UN-Number UN1169

Proper Shipping Name Extracts, aromatic, liquid

Hazard Class 3
Packing Group III

ERG Code 3L

Description UN1169, Extracts, aromatic, liquid, 3, III

IMDG/IMO

UN-Number UN1169

Proper Shipping Name Extracts, aromatic, liquid

Hazard Class 3
Packing Group III
EmS No. F-E, S-D

Description UN1169, Extracts, aromatic, liquid, 3, III, Marine Pollutant (55°C c.c.)

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances
Persistent Organic Pollutants
Hazardous Waste
The Rotterdam Convention (Prior
Not applicable
Not applicable

Informed Consent)

International Convention for the Not applicable

Prevention of Pollution from Ships

(MARPOL)

International Inventories

TSCA Complies
DSL Complies
EINECS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL

- Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

			16. <u>OTHER INFORM</u>	<u>IATI</u> ON	
NFPA	Health Hazard	2	Flammability 2	Instability 0	Physical and Chemical

Hazards -

HMIS Health Hazard 2* Flammability 2 Physical Hazard 0 Personal Protection X

Issuing Date16-Aug-2013Revision Date26-Aug-2018Revision NoteUpdate to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

^{*}Indicates a chronic health hazard.